




**Q.1:** Which of the following is a hyperbola ?



a.



c.



b.

d. None of the above

**Q.2:** Integrating  $\int \frac{\ln(\frac{1}{x})}{x^2} dx$  will result in

- $\frac{1}{x} \ln\left(\frac{1}{x}\right) - \frac{1}{x} + c$
- $\frac{1}{x} + c$
- $-\left(\frac{1}{x} \ln\left(\frac{1}{x}\right) - \frac{1}{x}\right) + c$
- None of the above

**Q.3:** An  $n \times n$  matrix is said to be symmetric if;

- If it is equal to its transpose
- If its determinant is equal to zero
- If it is of 2<sup>nd</sup> order
- None of the above

**Q.4:** Mathematically, what is a differential?

- A technique used for mathematical modeling.
- A method of directly relating how changes in an independent variable affect changes in a dependent variable.
- A method of directly relating how changes in a dependent variable affect changes in an independent variable.

d. None of the above

**Q.5:** The maximum current will pass through

- Resistance
- Inductance
- Capacitance
- None of above

**Q.6:** An element which consumes energy instead of storing in it is

- Resistor
- Inductor
- Capacitor
- Conductor

**Q.7:** A 1000W heater is rated to operate at a direct current (DC) of 10A. If the heater is supplied alternating current (AC) for producing the same quantity of heat the value of current should be

- $I_{av}=10A$
- $I_{rms}=10A$
- $I_{peak}=10A$
- $I_{rms}=10\sqrt{2}A$

**Q.8:** A fixed resistance 'R' is connected across a dc voltage source. If the voltage is gradually and uniformly increased, the relationship between V and R is correctly represented in which group

- Fig(A)
- Fig(B)
- Fig(C)
- Fig(D)



**Q.9:** The effects due to electric current are:

- Magnetic effect
- Heating effect
- Luminous effect

Application working on which effect can be used on AC as well as DC supply?

- a. I only
- b. II only
- c. II and III only
- d. I, II only

**Q.10:** The root locus of a unity feed-back system is shown in fig. The open loop transfer function is given by:

function is given by:

- a.  $k/s(s+1)(s+2)$
- b.  $k(s+1)/s(s+2)$
- c.  $k(s+2) / s(s+1)$
- d.  $ks / (s+1) (s+2)$

**Q.11:** A certain common-emitter amplifier has a voltage gain of 100. If the emitter bypass capacitor is removed.


- a. The circuit will become unstable
- b. The voltage gain will decrease
- c. The voltage gain will increase
- d. The circuit will become stable

**Q.12:** A Darlington transistor connection provides a transistor having a very large

- a. Current gain
- b. Voltage gain
- c. Impedance gain
- d. Impedance matching gain

**Q.13:** What is wrong with this circuit?

- a. The zener is open
- b. The zener is shorted
- c. Nothing
- d. Not enough data



**Q.14:** An oscillator that uses a tapped coil to obtain the feedback is called:


- a. A Hartley circuit
- b. A Pierce circuit

- c. A multivibrator
- d. A negative feedback circuit

**Q.15:** If the output filter capacitor in a power supply actually had a value twice its stated value, which of the following symptoms would be found?

- a. The output voltage would be doubled and a small improvement in the ripple voltage would be detected.
- b. The ripple voltage would be half of what is expected and a small increase in the output voltage would be detected.
- c. The output and ripple voltage would be greater than expected.
- d. The output and ripple voltage would be less than expected.

**Q.16:** What is the simplified version of the signal flow graph represented below?





**Q.20:** Frequency is inherently a physical quantity with characteristics.

- Positive
- negative
- both a & b
- none of above

**Q.21:** If  $x(n) = \{1, 2, 5, 7, 0, 1\}$  then its region of convergence (ROC) will be:


- Entire plane
- Entire plane except  $Z=0$
- Entire plane except  $Z=0$  and  $Z=\infty$
- None of the above

**Q.22:** Which losses in a transformer varies significantly with load

- Hysteresis losses
- Eddy current losses
- Copper losses
- Core losses

**Q.23:** Consider the circuit shown in the given figure. For maximum power transfer to the load, the primary to secondary turn's ratio must be

- 9 : 1
- 3 : 1
- 1 : 3
- 1 : 9



**Q.24:** A lamp of 100W at 200V is supplied current at 100 volts. It will be equivalent to the lamp of:

- 50W
- 40W
- 25W
- 10W

**Q.25:** The CPU structure contains:

- a. Cache, ALU, Control Unit and Control Memory
- b. System Bus, ALU, Control Unit and Registers
- c. Memory, ALU, Control Unit and Cache
- d. Registers, ALU, Internal CPU Interconnection and Control Unit

**Q.26:** Clock Speed of which Intel microprocessor is 3 GHz?

- a. Core 2 Duo
- b. Core 2 Quad
- c. Pentium 4
- d. Pentium III

**Q.27:** Normally, the FPGA resources are used less than 70% because:

- a. Routing becomes excessively complicated
- b. Power issues
- c. Clock frequency
- d. Simulation time increases

**Q.28** In which layer Telnet and FTP works?

- a. Application
- b. Session
- c. Network
- d. Physical

**Q.29:** As we know when there is a joint in optical fiber then there will be some loss then this loss be minimized by

- a. Using index matching fluid in the gap
- b. Making V-grooved splicing
- c. Both (a) and (b)
- d. Making carefully polishing

**Q.30:** Fast fading occurs if the channel \_\_\_\_\_ changes rapidly within the symbol duration.

- a. Bandwidth
- b. Frequency

- c. Impulse response
- d. None of the above

**Answers:**

- 1. c
- 2. c
- 3. a
- 4. c
- 5. c
- 6. a
- 7. b
- 8. a
- 9. c
- 10. a
- 11. b
- 12. a
- 13. a
- 14. a
- 15. b
- 16. b
- 17. c
- 18. a
- 19. c
- 20. a
- 21. c
- 22. c
- 23. a
- 24. c
- 25. d
- 26. b
- 27. a
- 28. a
- 29. a
- 30. c